



GENERAL SPECIFICATIONS - V300

VIDEO

Video Resolution	FULL HD resolution 1080p local on SD card
Video Length	10 second clips. The camera will take another 10 sec recording, if there is still motion detected. High Quality Streaming: Full HD 1080p at 15fps and 400kbps bitrate Max Quality Streaming: Full HD 1080p at 15fps and 960kbps bitrate
Audio Recording	Yes
Viewing Angle	90° ultra-wide angle
Video File Format	MP4 (H.264)

PHOTO

Photo Resolution	FULL HD resolution 1080p local on SD card and 640 × 360 px on mobile app
File Format	JPG
Information Stamped on Photos	Date, time and temperature (°C/°F)

MEMORY

External Memory	MicroSD card for local backup storage up to 32 GB (16 GB card included)
------------------------	---

POWER

Solar Panel	Built-in solar panel
Battery	14 000 mAh with USB-C port for charging (V-LIT-B3 included)
External	USB-C port



GENERAL SPECIFICATIONS - V300

DETECTION SYSTEM

Motion Sensor	Multi zone PIR
Detection Range	100 ft
Motion Detection Sensitivity Levels	Low, normal and high

NIGHT VISION

Type	Infrared LED 850nm
Night Vision Range	100 ft

CONNECTIVITY

Multi-Carriers	4G-LTE multi-carrier wireless modem
GPS Tracker	Yes

VOSKER APP

Remote Viewing and Configuration	Mobile App or Web App
Language	English, French, Spanish and German



GENERAL SPECIFICATIONS - V300

CONFIGURATION

Date Format	mm/dd/yyyy or dd/mm/yyyy
Video Stamp Information	Yes (date/time/outside temperature)
Temperature Units	°C or °F
Time format	12H or 24H

DIMENSIONS

Camera Body	3.8" W × 5.4" D × 4.5" H
--------------------	--------------------------

OTHER

External Antenna	Included. External long range cellular antenna available (sold separately)
Mounting Bracket	Adjustable mounting arm included
Operating Temperature Range	-30°C to +50°C
Certifications	FCC, CE, weather-resistant
Warranty	www.vosker.com/warranty-and-repair/